

INFORMATION TECHNOLOGY: PRACTICAL EXAMINATION

INSTRUCTIONS TO TEACHERS

1. For the examination requirements for Information Technology, please read pages 2 – 8 of the *Subject Assessment Guidelines*.
2. The school will receive a data disk containing files for the examination. These should be checked by the Information Technology teacher two days before the examination. Please refer to the instructions concerning data files supplied on page 3. Copies of the data are provided later in this document for your reference.
3. Do not open the sealed envelopes containing the examination papers and marking guidelines until the day of the examination.
4. Each candidate must be supplied with a disk (or space on a network drive) for his/her exclusive use throughout the examination.
 - (a) No candidate may have access to another candidate's work during the examination.
 - (b) Disable any shared folders on the network.
 - (c) Ensure that the candidates cannot use their own flash drives or memory sticks. If your candidates normally use usernames and passwords, create a new username for each candidate.
5. Please ensure that the machines have been checked and all extraneous data/programs have been removed. Disable communications programs that will allow chatting or messaging. Ensure that no communication can take place between machines.
6. No candidate may access the Internet during the examination.
7. Information Technology teachers are allowed to invigilate the Information Technology examinations in case there are problems with the hardware and system software. Obviously, they may not assist the candidates in any way with their particular program(s).
8. The candidates may use the help facility that has been supplied with the programming language's software. They may not use any other manuals or documentation. In the case of Java, they may use the standard APIs available on the *java.sun.com* site. These should be downloaded **before** the examination and copied onto each candidate's disk space provided for the examination.

9. The three hours of the examination does not include printing time. It is exclusively for coding. At the end of the three hours, printing must be done either by the candidates, or if conditions are not suitable for this, by the Information Technology teacher. No code or data may be altered after the three-hour period has expired.
 10. Teachers must inform their candidates what printing arrangements have been made at their school.
 11. In case of a power failure or other technical interruption, all candidates must remain silent and under examination conditions. Once the interruption has passed, candidates will have only the time that was remaining when the interruption began. No candidate may receive extra time to compensate for work lost from not saving prior to the interruption.
 12. Please note that the Information Technology question paper has been divided into two sections: the first is for Structured Query Language (SQL) and the second for Object Oriented Programming (OOP). The two sections may be answered in any order and are independent of each other.
 13. **INSTRUCTIONS FOR MARKING AND SUBMITTING THIS PRACTICAL EXAMINATION APPEAR ON THE MARKING GUIDELINES. PLEASE PAY CLOSE ATTENTION TO THIS DOCUMENT WHEN IT IS RELEASED.**
-

TO THE TEACHER RESPONSIBLE FOR CANDIDATES IN THE INFORMATION TECHNOLOGY PRACTICAL EXAMINATION

INSTRUCTIONS CONCERNING DATA FILES SUPPLIED ON DISK

You have been supplied with files on a CD. It is the responsibility of the Information Technology teacher to check **two days before the examination** that they can open the files and that the files can be read by the relevant applications. Printouts of the files are given, starting on the page following in this document. The details of the files are as follows:

Files for Learners: Please consult the folders on the CD. These are the important files only.

Section A:

- SQL Answer Sheet.rtf
- TennisDB.mdb
- TennisDB.sql (MySQL import)
- SQL Browser software

Section B:

- players.txt
- results.txt

If you have any problems with accessing the files on disk, please notify the IEB immediately.

Individual copies of these files will be required by each candidate writing the Information Technology Practical Examination. Please copy the relevant files onto a disk for each candidate's exclusive use, or onto the disk space that will be used exclusively by each candidate.

The candidates are asked, in the question paper, to create backups of these files. However, it may be wise to keep a fresh set of these files on a flash drive so that copies may be quickly distributed to candidates who might alter their files and not have a backup to restore from.

Teachers are advised to supply only those files that are needed for the pupils in their centre (don't supply the MySQL files if your candidates are writing with Access or *vice versa*).

Confidentiality is of the utmost importance. Under no circumstances should candidates have access to these files before the examination.

After the examination, create a folder for each candidate using their name and examination number. Copy ALL the candidate's files into their particular folder. Be sure to include the data files that are accessed by the program. Ensure that the candidates have not used path names for the data files in their programs. If candidates have used full path names, the files sent to the IEB must reflect this. Teachers may change the code for the purpose of validating the program but may NOT overwrite the original file. The CD should contain an exact copy of the candidate's work as it existed when the examination finished.

Send the CD with the marked practical examinations and the **updated** marksheet for **each candidate** in **one** envelope to the IEB. Ensure that you have attended the cluster group meetings and have used the updated mark schemes to mark all the practical exams.

FILES FOR LEARNERS

The following pages contain the hard-copy print-outs of the data supplied to each of the candidates.

SECTION A

TennisDB.mdb

tblPlayers			
PlayerID	Country	Fullname	DateOfBirth
1	SWE	Stefan Edberg	1966-01-19
2	TCH	Ivan Lendl	1960-03-07
3	GER	Boris Becker	1967-11-22
4	USA	Jim Courier	1970-08-17
5	USA	Pete Sampras	1971-08-12
6	USA	Andre Agassi	1970-04-29
7	CZE	Petr Korda	1968-01-23
8	RUS	Yevgeny Kafelnikov	1974-02-18
9	SWE	Thomas Johansson	1975-03-24
10	SUI	Roger Federer	1981-08-08
11	RUS	Marat Safin	1980-01-27
12	SRB	Novak Djokovic	1987-05-22
13	ESP	Rafael Nadal	1986-06-03
14	SUI	Stanislas Wawrinka	1985-03-28
15	USA	Martina Navratilova	1956-10-18
16	FRG	Steffi Graf	1969-06-14
17	YUG	Monica Seles	1973-12-02
18	FRA	Mary Pierce	1975-01-15
19	SUI	Martina Hingis	1980-09-30
20	USA	Lindsay Davenport	1976-06-08
21	USA	Jennifer Capriati	1976-03-29
22	USA	Serena Williams	1981-09-26
23	BEL	Justine Henin	1982-06-01
24	FRA	Amélie Mauresmo	1979-07-05
25	RUS	Maria Sharapova	1987-04-19
26	BEL	Kim Clijsters	1983-06-08
27	BLR	Victoria Azarenka	1989-07-31
28	CHN	Li Na	1982-02-26
29	USA	Michael Chang	1972-02-22
30	ECU	Andrés Gómez	1960-02-27
31	ESP	Sergi Bruguera	1971-01-16
32	AUT	Thomas Muster	1967-10-02
33	BRA	Gustavo Kuerten	1976-09-10
34	ESP	Carlos Moyà	1976-08-27
35	ESP	Albert Costa	1975-06-25
36	ESP	Juan Carlos Ferrero	1980-02-12

tblPlayers			
PlayerID	Country	Fullname	DateOfBirth
37	ARG	Gastón Gaudio	1978-12-09
38	ESP	Arantxa Sánchez Vicario	1971-12-18
39	CRO	Iva Majoli	1977-08-12
40	RUS	Anastasia Myskina	1981-07-08
41	SRB	Ana Ivanovic	1987-11-06
42	RUS	Svetlana Kuznetsova	1985-06-27
43	ITA	Francesca Schiavone	1980-06-23
44	AUS	Patrick Rafter	1972-12-28
45	AUS	Lleyton Hewitt	1981-02-24
46	USA	Andy Roddick	1982-08-30
47	ARG	Juan Martín del Potro	1988-09-23
48	GBR	Andy Murray	1987-05-15
49	CRO	Marin Čilić	1988-09-28
50	ARG	Gabriela Sabatini	1970-05-16
51	USA	Venus Williams	1980-06-17
52	AUS	Samantha Stosur	1984-03-30
53	GER	Michael Stich	1968-10-18
54	NED	Richard Krajicek	1971-12-06
55	CRO	Goran Ivanišević	1971-09-13
56	ESP	Conchita Martínez	1972-04-16
57	CZE	Jana Novotná	1968-10-02
58	CZE	Petra Kvitová	1990-03-08
59	FRA	Marion Bartoli	1984-10-02
60	USA	Todd Martin	1970-07-08
61	ESP	Carlos Moyá	1976-08-27
62	CHI	Marcelo Ríos	1975-12-26
63	SWE	Thomas Enqvist	1974-03-13
64	FRA	Arnaud Clément	1977-12-17
65	GER	Rainer Schüttler	1976-04-25
66	CYP	Marcos Baghdatis	1985-06-17
67	CHI	Fernando González	1980-07-29
68	FRA	Jo-Wilfried Tsonga	1985-04-17
69	TCH	Helena Suková	1965-02-23
70	USA	Mary-Joe Fernandez	1971-08-19
71	GER	Anke Huber	1974-12-04
72	RUS	Dinara Safina	1986-04-27
73	SVK	Dominika Cibulková	1989-05-06
74	ESP	Alberto Berasategui	1973-06-28
75	ESP	Àlex Corretja	1974-04-11
76	UKR	Andrei Medvedev	1974-08-31
77	SWE	Magnus Norman	1976-05-30
78	NED	Martin Verkerk	1978-10-31

tblPlayers			
PlayerID	Country	Fullname	DateOfBirth
79	ARG	Guillermo Coria	1982-01-13
80	ARG	Mariano Puerta	1978-09-19
81	SWE	Robin Söderling	1984-08-14
82	ESP	David Ferrer	1982-04-02
83	RUS	Elena Dementieva	1981-10-15
84	ITA	Sara Errani	1987-04-29
85	ROU	Simona Halep	1991-09-27
86	FRA	Cédric Pioline	1969-06-15
87	GBR	Greg Rusedski	1973-09-06
88	AUS	Mark Philippoussis	1976-11-07
89	JPN	Kei Nishikori	1989-12-29
90	SER	Jelena Janković	1985-02-28
91	DEN	Caroline Wozniacki	1990-07-11
92	RUS	Vera Zvonareva	1984-09-07
93	USA	MaliVai Washington	1969-06-20
94	ARG	David Nalbandian	1982-01-01
95	CZE	Tomáš Berdych	1985-09-17
96	USA	Zina Garrison	1963-11-16
97	FRA	Nathalie Tauziat	1967-10-17
98	POL	Agnieszka Radwańska	1989-03-06
99	GER	Sabine Lisicki	1989-09-22
100	CAN	Eugenie Bouchard	1994-02-25
101	USA	Bob Rogers	1990-02-10

PrizeMoneyZAR Field has intentionally been left blank!

tblTournaments						
TournamentID	TournamentName	City	Surface	YearEstablished	PrizeMoney	PrizeMoneyZAR
1	Australian Open	Melbourne	Hard	1905	2457000	
2	French Open	Paris	Clay	1891	1873162	
3	Wimbledon	London	Grass	1877	2675200	
4	US Open	New York City	Hard	1881	1900000	

tblFinals				
TournamentID	FinalYear	FinalName	WinnerID	RunnerUpID
1	1990	Men's Singles	2	1
2	1990	Men's Singles	30	6
2	1990	Women's Singles	17	16
3	1990	Women's Singles	50	16
3	1990	Men's Singles	5	6
4	1990	Women's Singles	15	96
4	1990	Men's Singles	1	3
1	1990	Women's Singles	16	70

tblFinals				
TournamentID	FinalYear	FinalName	WinnerID	RunnerUpID
3	1991	Women's Singles	17	15
4	1991	Men's Singles	53	3
3	1991	Men's Singles	1	4
2	1991	Men's Singles	4	6
1	1991	Men's Singles	3	2
1	1991	Women's Singles	17	57
2	1991	Women's Singles	17	38
4	1991	Women's Singles	16	50
2	1992	Men's Singles	4	7
4	1992	Women's Singles	16	17
4	1992	Men's Singles	6	55
3	1992	Women's Singles	17	38
2	1992	Women's Singles	17	16
1	1992	Men's Singles	4	1
1	1992	Women's Singles	17	70
3	1992	Men's Singles	1	5
3	1993	Men's Singles	5	86
1	1993	Women's Singles	17	16
4	1993	Women's Singles	16	57
4	1993	Men's Singles	5	4
1	1993	Men's Singles	4	1
2	1993	Women's Singles	16	70
2	1993	Men's Singles	31	4
3	1993	Women's Singles	16	69
2	1994	Men's Singles	31	74
4	1994	Men's Singles	5	55
3	1994	Women's Singles	38	16
4	1994	Women's Singles	56	15
2	1994	Women's Singles	38	18
1	1994	Women's Singles	16	38
1	1994	Men's Singles	5	60
3	1994	Men's Singles	6	53
3	1995	Women's Singles	16	17
4	1995	Men's Singles	5	3
4	1995	Women's Singles	16	38
3	1995	Men's Singles	5	6
2	1995	Men's Singles	32	29
2	1995	Women's Singles	16	38
1	1995	Men's Singles	6	5
1	1995	Women's Singles	18	38
1	1996	Men's Singles	3	29
3	1996	Men's Singles	5	29

tblFinals				
TournamentID	FinalYear	FinalName	WinnerID	RunnerUpID
4	1996	Women's Singles	16	38
4	1996	Men's Singles	54	93
1	1996	Women's Singles	17	71
2	1996	Men's Singles	8	53
2	1996	Women's Singles	16	38
3	1996	Women's Singles	16	17
2	1997	Men's Singles	33	31
4	1997	Men's Singles	5	86
3	1997	Men's Singles	44	87
4	1997	Women's Singles	19	57
2	1997	Women's Singles	39	19
1	1997	Men's Singles	5	61
1	1997	Women's Singles	19	18
3	1997	Women's Singles	19	51
3	1998	Women's Singles	20	19
4	1998	Women's Singles	57	97
4	1998	Men's Singles	5	55
3	1998	Men's Singles	44	88
2	1998	Women's Singles	38	17
2	1998	Men's Singles	34	75
1	1998	Men's Singles	7	62
1	1998	Women's Singles	19	56
2	1999	Men's Singles	6	76
4	1999	Men's Singles	5	6
4	1999	Women's Singles	20	16
3	1999	Women's Singles	22	19
1	1999	Women's Singles	19	24
1	1999	Men's Singles	8	63
3	1999	Men's Singles	6	60
2	1999	Women's Singles	16	19
2	2000	Men's Singles	33	77
4	2000	Men's Singles	5	44
3	2000	Women's Singles	51	20
4	2000	Women's Singles	51	20
2	2000	Women's Singles	18	56
1	2000	Women's Singles	20	19
1	2000	Men's Singles	6	8
3	2000	Men's Singles	11	5
3	2001	Men's Singles	45	5
4	2001	Men's Singles	55	44
4	2001	Women's Singles	51	23
3	2001	Women's Singles	51	22

tblFinals				
TournamentID	FinalYear	FinalName	WinnerID	RunnerUpID
2	2001	Women's Singles	21	26
2	2001	Men's Singles	33	75
1	2001	Women's Singles	21	19
1	2001	Men's Singles	6	64
3	2002	Women's Singles	22	51
1	2002	Men's Singles	9	11
1	2002	Women's Singles	21	19
2	2002	Men's Singles	35	36
3	2002	Men's Singles	5	6
4	2002	Women's Singles	22	51
4	2002	Men's Singles	45	94
2	2002	Women's Singles	22	51
4	2003	Men's Singles	10	88
1	2003	Women's Singles	22	51
1	2003	Men's Singles	6	65
2	2003	Women's Singles	23	26
2	2003	Men's Singles	36	78
3	2003	Women's Singles	23	26
3	2003	Men's Singles	46	36
4	2003	Women's Singles	22	51
4	2004	Women's Singles	25	22
4	2004	Men's Singles	10	46
3	2004	Men's Singles	10	45
3	2004	Women's Singles	42	83
2	2004	Men's Singles	37	79
2	2004	Women's Singles	40	83
1	2004	Women's Singles	23	26
1	2004	Men's Singles	10	11
3	2005	Women's Singles	26	18
2	2005	Women's Singles	23	18
4	2005	Men's Singles	10	46
4	2005	Women's Singles	51	20
1	2005	Men's Singles	11	45
2	2005	Men's Singles	13	80
1	2005	Women's Singles	22	20
3	2005	Men's Singles	10	6
2	2006	Women's Singles	23	42
4	2006	Women's Singles	24	23
3	2006	Women's Singles	25	23
4	2006	Men's Singles	10	13
2	2006	Men's Singles	13	10
1	2006	Women's Singles	24	23

tblFinals				
TournamentID	FinalYear	FinalName	WinnerID	RunnerUpID
1	2006	Men's Singles	10	66
3	2006	Men's Singles	10	46
3	2007	Women's Singles	23	42
4	2007	Women's Singles	51	59
4	2007	Men's Singles	10	13
3	2007	Men's Singles	10	12
2	2007	Women's Singles	23	41
2	2007	Men's Singles	13	10
1	2007	Men's Singles	10	67
1	2007	Women's Singles	22	25
4	2008	Women's Singles	51	22
3	2008	Women's Singles	22	90
4	2008	Men's Singles	13	10
3	2008	Men's Singles	10	48
2	2008	Women's Singles	41	72
2	2008	Men's Singles	13	10
1	2008	Men's Singles	12	68
1	2008	Women's Singles	25	41
2	2009	Men's Singles	10	81
4	2009	Men's Singles	10	46
3	2009	Men's Singles	47	10
4	2009	Women's Singles	22	51
2	2009	Women's Singles	42	72
1	2009	Men's Singles	13	10
1	2009	Women's Singles	22	72
3	2009	Women's Singles	26	91
3	2010	Women's Singles	26	92
4	2010	Men's Singles	13	95
4	2010	Women's Singles	22	92
3	2010	Men's Singles	13	12
2	2010	Women's Singles	43	52
2	2010	Men's Singles	13	81
1	2010	Women's Singles	22	23
1	2010	Men's Singles	10	48
3	2011	Women's Singles	52	22
4	2011	Men's Singles	12	13
4	2011	Women's Singles	58	25
3	2011	Men's Singles	12	13
2	2011	Women's Singles	28	43
1	2011	Men's Singles	12	48
1	2011	Women's Singles	26	28
2	2011	Men's Singles	13	10

tblFinals				
TournamentID	FinalYear	FinalName	WinnerID	RunnerUpID
2	2012	Women's Singles	25	84
4	2012	Men's Singles	10	48
4	2012	Women's Singles	22	98
1	2012	Women's Singles	27	25
3	2012	Men's Singles	48	12
2	2012	Men's Singles	13	12
1	2012	Men's Singles	12	13
3	2012	Women's Singles	22	27
2	2013	Men's Singles	13	82
4	2013	Women's Singles	59	99
3	2013	Women's Singles	22	27
4	2013	Men's Singles	48	12
2	2013	Women's Singles	22	25
1	2013	Men's Singles	12	48
1	2013	Women's Singles	27	28
3	2013	Men's Singles	13	12
1	2014	Women's Singles	28	73
1	2014	Men's Singles	14	13
2	2014	Men's Singles	13	12
2	2014	Women's Singles	25	85
3	2014	Women's Singles	22	91
3	2014	Men's Singles	49	89
4	2014	Men's Singles	12	10
4	2014	Women's Singles	58	100
1	2015	Men's Singles	12	48
1	2015	Women's Singles	22	25

TennisDB.sql

```
#
# DUMP FILE
#
# Database is ported from MS Access
#-----
# Created using "MS Access to MySQL" form http://www.bullzip.com
# Program Version 5.1.242
#
# OPTIONS:
#   sourceusername=
#   sourcepassword=
#   sourcesystemdatabase=
#   destinationdatabase=TennisDB
#   storageengine=MyISAM
#   dropdatabase=1
#   createtables=1
#   unicode=1
#   autocommit=1
#   transferdefaultvalues=1
#   transferindexes=1
#   transferautonumbers=1
#   transferrecords=1
#   columlist=1
#   tableprefix=
#   negativeboolean=0
#   ignorelargeblobs=0
#   memotype=LONGTEXT
#

DROP DATABASE IF EXISTS `TennisDB`;
CREATE DATABASE IF NOT EXISTS `TennisDB`;
USE `TennisDB`;

#
# Table structure for table 'tblFinals'
#

DROP TABLE IF EXISTS `tblFinals`;

CREATE TABLE `tblFinals` (
  `TournamentID` INTEGER,
  `FinalYear` INTEGER,
  `FinalName` VARCHAR(255),
  `WinnerID` INTEGER,
  `RunnerUpID` INTEGER,
  INDEX (`RunnerUpID`),
  INDEX (`TournamentID`),
  INDEX (`WinnerID`)
) ENGINE=myisam DEFAULT CHARSET=utf8;

SET autocommit=1;

#
# Dumping data for table 'tblFinals'
#

INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1990, 'Women's Singles', 16, 70);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1990, 'Men's Singles', 2, 1);
```

```

INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1990, 'Men's Singles', 30, 6);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1990, 'Women's Singles', 17, 16);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1990, 'Women's Singles', 50, 16);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1990, 'Men's Singles', 5, 6);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1990, 'Women's Singles', 15, 96);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1990, 'Men's Singles', 1, 3);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1991, 'Men's Singles', 3, 2);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1991, 'Women's Singles', 17, 57);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1991, 'Men's Singles', 4, 6);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1991, 'Women's Singles', 17, 38);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1991, 'Men's Singles', 1, 4);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1991, 'Women's Singles', 17, 15);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1991, 'Men's Singles', 53, 3);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1991, 'Women's Singles', 16, 50);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1992, 'Women's Singles', 17, 70);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1992, 'Men's Singles', 4, 1);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1992, 'Men's Singles', 4, 7);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1992, 'Women's Singles', 17, 16);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1992, 'Men's Singles', 1, 5);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1992, 'Women's Singles', 17, 38);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1992, 'Men's Singles', 6, 55);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1992, 'Women's Singles', 16, 17);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1993, 'Men's Singles', 4, 1);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1993, 'Women's Singles', 17, 16);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1993, 'Women's Singles', 16, 70);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1993, 'Men's Singles', 31, 4);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1993, 'Women's Singles', 16, 69);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1993, 'Men's Singles', 5, 86);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1993, 'Men's Singles', 5, 4);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1993, 'Women's Singles', 16, 57);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1994, 'Men's Singles', 5, 60);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1994, 'Women's Singles', 16, 38);

```

```

INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1994, 'Women's Singles', 38, 18);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1994, 'Men's Singles', 31, 74);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1994, 'Women's Singles', 38, 16);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1994, 'Men's Singles', 6, 53);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1994, 'Men's Singles', 5, 55);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1994, 'Women's Singles', 56, 15);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1995, 'Men's Singles', 6, 5);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1995, 'Women's Singles', 18, 38);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1995, 'Women's Singles', 16, 38);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1995, 'Men's Singles', 32, 29);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1995, 'Women's Singles', 16, 17);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1995, 'Men's Singles', 5, 6);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1995, 'Men's Singles', 5, 3);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1995, 'Women's Singles', 16, 38);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1996, 'Women's Singles', 17, 71);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1996, 'Men's Singles', 3, 29);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1996, 'Men's Singles', 8, 53);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1996, 'Women's Singles', 16, 38);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1996, 'Women's Singles', 16, 17);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1996, 'Men's Singles', 5, 29);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1996, 'Men's Singles', 54, 93);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1996, 'Women's Singles', 16, 38);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1997, 'Women's Singles', 19, 18);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1997, 'Men's Singles', 5, 61);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1997, 'Women's Singles', 39, 19);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1997, 'Men's Singles', 33, 31);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1997, 'Men's Singles', 44, 87);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1997, 'Women's Singles', 19, 51);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1997, 'Men's Singles', 5, 86);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1997, 'Women's Singles', 19, 57);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1998, 'Men's Singles', 7, 62);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1998, 'Women's Singles', 19, 56);

```

```

INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1998, 'Men's Singles', 34, 75);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1998, 'Women's Singles', 38, 17);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1998, 'Women's Singles', 20, 19);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1998, 'Men's Singles', 44, 88);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1998, 'Men's Singles', 5, 55);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1998, 'Women's Singles', 57, 97);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1999, 'Men's Singles', 8, 63);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 1999, 'Women's Singles', 19, 24);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1999, 'Women's Singles', 16, 19);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 1999, 'Men's Singles', 6, 76);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1999, 'Women's Singles', 22, 19);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 1999, 'Men's Singles', 6, 60);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1999, 'Men's Singles', 5, 6);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 1999, 'Women's Singles', 20, 16);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2000, 'Men's Singles', 6, 8);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2000, 'Women's Singles', 20, 19);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2000, 'Women's Singles', 18, 56);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2000, 'Men's Singles', 33, 77);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2000, 'Women's Singles', 51, 20);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2000, 'Men's Singles', 11, 5);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2000, 'Men's Singles', 5, 44);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2000, 'Women's Singles', 51, 20);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2001, 'Women's Singles', 21, 19);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2001, 'Men's Singles', 6, 64);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2001, 'Men's Singles', 33, 75);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2001, 'Women's Singles', 21, 26);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2001, 'Men's Singles', 45, 5);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2001, 'Women's Singles', 51, 22);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2001, 'Men's Singles', 55, 44);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2001, 'Women's Singles', 51, 23);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2002, 'Men's Singles', 9, 11);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2002, 'Women's Singles', 21, 19);

```

```

INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2002, 'Men's Singles', 35, 36);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2002, 'Women's Singles', 22, 51);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2002, 'Men's Singles', 5, 6);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2002, 'Women's Singles', 22, 51);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2002, 'Women's Singles', 22, 51);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2002, 'Men's Singles', 45, 94);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2003, 'Women's Singles', 22, 51);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2003, 'Men's Singles', 6, 65);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2003, 'Women's Singles', 23, 26);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2003, 'Men's Singles', 36, 78);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2003, 'Women's Singles', 23, 26);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2003, 'Men's Singles', 46, 36);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2003, 'Women's Singles', 22, 51);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2003, 'Men's Singles', 10, 88);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2004, 'Women's Singles', 23, 26);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2004, 'Men's Singles', 10, 11);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2004, 'Women's Singles', 40, 83);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2004, 'Men's Singles', 37, 79);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2004, 'Women's Singles', 42, 83);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2004, 'Men's Singles', 10, 45);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2004, 'Men's Singles', 10, 46);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2004, 'Women's Singles', 25, 22);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2005, 'Men's Singles', 11, 45);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2005, 'Women's Singles', 22, 20);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2005, 'Men's Singles', 13, 80);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2005, 'Women's Singles', 23, 18);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2005, 'Women's Singles', 26, 18);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2005, 'Men's Singles', 10, 6);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2005, 'Women's Singles', 51, 20);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2005, 'Men's Singles', 10, 46);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2006, 'Men's Singles', 10, 66);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2006, 'Women's Singles', 24, 23);

```



```

INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2006, 'Men''s Singles', 13, 10);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2006, 'Women''s Singles', 23, 42);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2006, 'Women''s Singles', 25, 23);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2006, 'Men''s Singles', 10, 46);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2006, 'Women''s Singles', 24, 23);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2006, 'Men''s Singles', 10, 13);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2007, 'Men''s Singles', 10, 67);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2007, 'Women''s Singles', 22, 25);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2007, 'Men''s Singles', 13, 10);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2007, 'Women''s Singles', 23, 41);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2007, 'Women''s Singles', 23, 42);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2007, 'Men''s Singles', 10, 12);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2007, 'Men''s Singles', 10, 13);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2007, 'Women''s Singles', 51, 59);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2008, 'Women''s Singles', 25, 41);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2008, 'Men''s Singles', 12, 68);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2008, 'Women''s Singles', 41, 72);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2008, 'Men''s Singles', 13, 10);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2008, 'Women''s Singles', 22, 90);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2008, 'Men''s Singles', 10, 48);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2008, 'Women''s Singles', 51, 22);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2008, 'Men''s Singles', 13, 10);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2009, 'Women''s Singles', 22, 72);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2009, 'Men''s Singles', 13, 10);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2009, 'Women''s Singles', 42, 72);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2009, 'Men''s Singles', 10, 81);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2009, 'Men''s Singles', 47, 10);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2009, 'Women''s Singles', 26, 91);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2009, 'Men''s Singles', 10, 46);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2009, 'Women''s Singles', 22, 51);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2010, 'Women''s Singles', 22, 23);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2010, 'Men''s Singles', 10, 48);

```

```

INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2010, 'Men's Singles', 13, 81);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2010, 'Women's Singles', 43, 52);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2010, 'Women's Singles', 26, 92);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2010, 'Men's Singles', 13, 12);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2010, 'Women's Singles', 22, 92);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2010, 'Men's Singles', 13, 95);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2011, 'Women's Singles', 26, 28);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2011, 'Men's Singles', 12, 48);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2011, 'Women's Singles', 28, 43);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2011, 'Men's Singles', 13, 10);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2011, 'Women's Singles', 52, 22);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2011, 'Men's Singles', 12, 13);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2011, 'Women's Singles', 58, 25);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2011, 'Men's Singles', 12, 13);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2012, 'Women's Singles', 27, 25);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2012, 'Men's Singles', 12, 13);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2012, 'Men's Singles', 13, 12);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2012, 'Women's Singles', 25, 84);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2012, 'Men's Singles', 48, 12);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2012, 'Women's Singles', 22, 27);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2012, 'Women's Singles', 22, 98);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2012, 'Men's Singles', 10, 48);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2013, 'Women's Singles', 27, 28);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2013, 'Men's Singles', 12, 48);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2013, 'Men's Singles', 13, 82);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2013, 'Women's Singles', 22, 25);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2013, 'Men's Singles', 13, 12);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2013, 'Women's Singles', 22, 27);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2013, 'Women's Singles', 59, 99);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2013, 'Men's Singles', 48, 12);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2014, 'Women's Singles', 28, 73);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2014, 'Men's Singles', 14, 13);

```

```
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2014, 'Men's Singles', 13, 12);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (2, 2014, 'Women's Singles', 25, 85);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2014, 'Women's Singles', 22, 91);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (3, 2014, 'Men's Singles', 49, 89);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2014, 'Men's Singles', 12, 10);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (4, 2014, 'Women's Singles', 58, 100);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2015, 'Women's Singles', 22, 25);
INSERT INTO `tblFinals` (`TournamentID`, `FinalYear`, `FinalName`, `WinnerID`,
`RunnerUpID`) VALUES (1, 2015, 'Men's Singles', 12, 48);
# 202 records
```

```
#
# Table structure for table 'tblPlayers'
#
```

```
DROP TABLE IF EXISTS `tblPlayers`;
```

```
CREATE TABLE `tblPlayers` (
  `PlayerID` INTEGER NOT NULL AUTO_INCREMENT,
  `Country` VARCHAR(3),
  `Fullname` VARCHAR(30),
  `DateOfBirth` DATE,
  INDEX (`PlayerID`),
  PRIMARY KEY (`PlayerID`)
) ENGINE=myisam DEFAULT CHARSET=utf8;
```

```
SET autocommit=1;
```

```
#
# Dumping data for table 'tblPlayers'
#
```

```
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (1, 'SWE', 'Stefan Edberg', '1966-01-19');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (2, 'TCH', 'Ivan Lendl', '1960-03-07');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (3, 'GER', 'Boris Becker', '1967-11-22');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (4, 'USA', 'Jim Courier', '1970-08-17');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (5, 'USA', 'Pete Sampras', '1971-08-12');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (6, 'USA', 'Andre Agassi', '1970-04-29');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (7, 'CZE', 'Petr Korda', '1968-01-23');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (8, 'RUS', 'Yevgeny Kafelnikov', '1974-02-18');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (9, 'SWE', 'Thomas Johansson', '1975-03-24');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (10, 'SUI', 'Roger Federer', '1981-08-08');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (11, 'RUS', 'Marat Safin', '1980-01-27');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (12, 'SRB', 'Novak Djokovic', '1987-05-22');
```

```

INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (13, 'ESP', 'Rafael Nadal', '1986-06-03');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (14, 'SUI', 'Stanislas Wawrinka', '1985-03-28');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (15, 'USA', 'Martina Navratilova', '1956-10-18');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (16, 'FRG', 'Steffi Graf', '1969-06-14');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (17, 'YUG', 'Monica Seles', '1973-12-02');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (18, 'FRA', 'Mary Pierce', '1975-01-15');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (19, 'SUI', 'Martina Hingis', '1980-09-30');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (20, 'USA', 'Lindsay Davenport', '1976-06-08');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (21, 'USA', 'Jennifer Capriati', '1976-03-29');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (22, 'USA', 'Serena Williams', '1981-09-26');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (23, 'BEL', 'Justine Henin', '1982-06-01');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (24, 'FRA', 'Amélie Mauresmo', '1979-07-05');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (25, 'RUS', 'Maria Sharapova', '1987-04-19');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (26, 'BEL', 'Kim Clijsters', '1983-06-08');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (27, 'BLR', 'Victoria Azarenka', '1989-07-31');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (28, 'CHN', 'Li Na', '1982-02-26');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (29, 'USA', 'Michael Chang', '1972-02-22');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (30, 'ECU', 'Andrés Gómez', '1960-02-27');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (31, 'ESP', 'Sergi Bruguera', '1971-01-16');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (32, 'AUT', 'Thomas Muster', '1967-10-02');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (33, 'BRA', 'Gustavo Kuerten', '1976-09-10');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (34, 'ESP', 'Carlos Moyà', '1976-08-27');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (35, 'ESP', 'Albert Costa', '1975-06-25');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (36, 'ESP', 'Juan Carlos Ferrero', '1980-02-12');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (37, 'ARG', 'Gastón Gaudio', '1978-12-09');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (38, 'ESP', 'Arantxa Sánchez Vicario', '1971-12-18');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (39, 'CRO', 'Iva Majoli', '1977-08-12');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (40, 'RUS', 'Anastasia Myskina', '1981-07-08');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (41, 'SRB', 'Ana Ivanovic', '1987-11-06');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (42, 'RUS', 'Svetlana Kuznetsova', '1985-06-27');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (43, 'ITA', 'Francesca Schiavone', '1980-06-23');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (44, 'AUS', 'Patrick Rafter', '1972-12-28');

```

```

INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (45, 'AUS', 'Lleyton Hewitt', '1981-02-24');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (46, 'USA', 'Andy Roddick', '1982-08-30');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (47, 'ARG', 'Juan Martín del Potro', '1988-09-23');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (48, 'GBR', 'Andy Murray', '1987-05-15');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (49, 'CRO', 'Marin Čilić', '1988-09-28');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (50, 'ARG', 'Gabriela Sabatini', '1970-05-16');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (51, 'USA', 'Venus Williams', '1980-06-17');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (52, 'AUS', 'Samantha Stosur', '1984-03-30');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (53, 'GER', 'Michael Stich', '1968-10-18');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (54, 'NED', 'Richard Krajicek', '1971-12-06');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (55, 'CRO', 'Goran Ivanišević', '1971-09-13');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (56, 'ESP', 'Conchita Martínez', '1972-04-16');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (57, 'CZE', 'Jana Novotná', '1968-10-02');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (58, 'CZE', 'Petra Kvitová', '1990-03-08');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (59, 'FRA', 'Marion Bartoli', '1984-10-02');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (60, 'USA', 'Todd Martin', '1970-07-08');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (61, 'ESP', 'Carlos Moyá', '1976-08-27');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (62, 'CHI', 'Marcelo Ríos', '1975-12-26');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (63, 'SWE', 'Thomas Enqvist', '1974-03-13');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (64, 'FRA', 'Arnaud Clément', '1977-12-17');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (65, 'GER', 'Rainer Schüttler', '1976-04-25');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (66, 'CYP', 'Marcos Baghdatis', '1985-06-17');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (67, 'CHI', 'Fernando González', '1980-07-29');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (68, 'FRA', 'Jo-Wilfried Tsonga', '1985-04-17');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (69, 'TCH', 'Helena Suková', '1965-02-23');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (70, 'USA', 'Mary-Joe Fernandez', '1971-08-19');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (71, 'GER', 'Anke Huber', '1974-12-04');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (72, 'RUS', 'Dinara Safina', '1986-04-27');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (73, 'SVK', 'Dominika Cibulková', '1989-05-06');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (74, 'ESP', 'Alberto Berasategui', '1973-06-28');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (75, 'ESP', 'Àlex Corretja', '1974-04-11');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (76, 'UKR', 'Andrei Medvedev', '1974-08-31');

```

```

INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (77, 'SWE', 'Magnus Norman', '1976-05-30');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (78, 'NED', 'Martin Verkerk', '1978-10-31');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (79, 'ARG', 'Guillermo Coria', '1982-01-13');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (80, 'ARG', 'Mariano Puerta', '1978-09-19');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (81, 'SWE', 'Robin Söderling', '1984-08-14');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (82, 'ESP', 'David Ferrer', '1982-04-02');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (83, 'RUS', 'Elena Dementieva', '1981-10-15');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (84, 'ITA', 'Sara Errani', '1987-04-29');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (85, 'ROU', 'Simona Halep', '1991-09-27');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (86, 'FRA', 'Cédric Pioline', '1969-06-15');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (87, 'GBR', 'Greg Rusedski', '1973-09-06');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (88, 'AUS', 'Mark Philippoussis', '1976-11-07');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (89, 'JPN', 'Kei Nishikori', '1989-12-29');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (90, 'SER', 'Jelena Janković', '1985-02-28');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (91, 'DEN', 'Caroline Wozniacki', '1990-07-11');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (92, 'RUS', 'Vera Zvonareva', '1984-09-07');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (93, 'USA', 'MaliVai Washington', '1969-06-20');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (94, 'ARG', 'David Nalbandian', '1982-01-01');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (95, 'CZE', 'Tomáš Berdych', '1985-09-17');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (96, 'USA', 'Zina Garrison', '1963-11-16');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (97, 'FRA', 'Nathalie Tauziat', '1967-10-17');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (98, 'POL', 'Agnieszka Radwańska', '1989-03-06');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (99, 'GER', 'Sabine Lisicki', '1989-09-22');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (100, 'CAN', 'Eugenie Bouchard', '1994-02-25');
INSERT INTO `tblPlayers` (`PlayerID`, `Country`, `Fullname`, `DateOfBirth`)
VALUES (101, 'USA', 'Bob Rogers', '1990-02-10');
# 101 records

```

```

#
# Table structure for table 'tblTournaments'
#

```

```
DROP TABLE IF EXISTS `tblTournaments`;
```

```

CREATE TABLE `tblTournaments` (
  `TournamentID` INTEGER NOT NULL AUTO_INCREMENT,
  `TournamentName` VARCHAR(20),
  `City` VARCHAR(20),
  `Surface` VARCHAR(20),
  `YearEstablished` INTEGER,

```

```
`PrizeMoney` DOUBLE NULL,  
`PrizeMoneyZAR` DECIMAL(19,4),  
PRIMARY KEY (`TournamentID`)  
) ENGINE=myisam DEFAULT CHARSET=utf8;
```

```
SET autocommit=1;
```

```
#  
# Dumping data for table 'tblTournaments'  
#
```

```
INSERT INTO `tblTournaments` (`TournamentID`, `TournamentName`, `City`,  
`Surface`, `YearEstablished`, `PrizeMoney`, `PrizeMoneyZAR`) VALUES (1,  
'Australian Open', 'Melbourne', 'Hard', 1905, 2457000, NULL);  
INSERT INTO `tblTournaments` (`TournamentID`, `TournamentName`, `City`,  
`Surface`, `YearEstablished`, `PrizeMoney`, `PrizeMoneyZAR`) VALUES (2, 'French  
Open', 'Paris', 'Clay', 1891, 1873162, NULL);  
INSERT INTO `tblTournaments` (`TournamentID`, `TournamentName`, `City`,  
`Surface`, `YearEstablished`, `PrizeMoney`, `PrizeMoneyZAR`) VALUES (3,  
'Wimbledon', 'London', 'Grass', 1877, 2675200, NULL);  
INSERT INTO `tblTournaments` (`TournamentID`, `TournamentName`, `City`,  
`Surface`, `YearEstablished`, `PrizeMoney`, `PrizeMoneyZAR`) VALUES (4, 'US  
Open', 'New York City', 'Hard', 1881, 1900000, NULL);  
# 4 records
```

SECTION B

Players.txt

1,Colby Noble,Hong Kong
2,Craig Hamilton,Myanmar
3,Dante Franklin,South Korea
4,Chadwick Baird,India
5,Wallace Forbes,Cameroon
6,Tanek Jimenez,Italy
7,Jared Flynn,Burundi
8,Yasir Rosario,Taiwan
9,Levi Klein,Botswana
10,Kibo Ford,American Samoa
11,Lamar Carney,Central African Republic
12,Dieter Reese,Brunei
13,Brady Serrano,Rwanda
14,Theodore Snyder,The Netherlands
15,Flynn Flynn,Moldova
16,Alec Sellers,United States
17,Oscar Price,Thailand
18,Neville Ball,Lesotho
19,Nero Barr,Germany
20,Yardley Craig,United States
21,Daquan Morales,Spain
22,Stuart Barrett,Marshall Islands
23,Hector Hinton,Djibouti
24,Dillon Maddox,Liberia
25,Nash Powers,Andorra
26,Harper Hubbard,Hong Kong
27,Stuart Williams,Gibraltar
28,Barrett Roberson,Peru
29,Knox Olson,Somalia
30,Kasper Greene,Scotland
31,Emery Kramer,South Africa
32,Jason Underwood,Portugal

Results.txt

M429

1
1
1
1
1
1
1
2
2
2
1
1
1
2
1
2
1
1
2
2
1
1
2
2
2
1
1
2
2
1
1
1
1
1
1
1
2
2
1
1
2
1